



中国国家强制性产品认证证书

证书编号: 2013010907598343

发证日期: 2023 年 08 月 10 日

有效期至: 2028 年 02 月 01 日

**认证委托人名称
及注册地址** 株式会社尼普龙
日本兵库县尼崎市大浜町 2 丁目 57 番地

**产品生产者名称
及注册地址** 株式会社尼普龙
日本兵库县尼崎市大浜町 2 丁目 57 番地

**生产企业名称
及生产地址** 株式会社尼普龙
日本兵库县尼崎市大浜町 2 丁目 57 番地

**产品名称和系列、
规格、型号** 电源
见附件, 不带电线组件销售, 仅适用于海拔 2000 米及以下, 仅适用于非热带气候条件

**产品标准和
技术要求** GB 17625.1-2022 (A 类);GB 4943.1-2022;GB/T 9254.1-2021 (A 级)

上述产品符合 CNCA-C09-01:2023 认证规则的要求, 特发此证。
证书有效期内本证书的有效性依据发证机构的定期监督获得保持。
本证书为变更证书, 证书首次颁发日期: 2013 年 02 月 06 日
经中国合格评定国家认可委员会认可 CNAS C001-P

可通过扫描下方二维码或登录国家认监委网站 (www.cnca.gov.cn) 查验证书信息



签发:

谢肇煦



中国质量认证中心



中国国家强制性产品认证证书

证书编号：2013010907598343

第 1 页 共 1 页

本证书及附件应同时使用，信息查验说明见证书页

纸号：

型号规格：

OZP-350-12、mOZP-350-12、OZP-350-15、mOZP-350-15、OZP-350-24、mOZP-350-24、
OZP-350-30、mOZP-350-30、OZP-350-36、mOZP-350-36、OZP-350-48、mOZP-350-48
(后缀-xyfnnzghij，其中x=J/T;y=0/S;f=0/E;n=0-9/A-Z/空格;z=-C/-K/-U/-0/空格;g=-/空
格;h-j=0-9/A-Z/空格，用于区别销售市场，不影响安全和电磁兼容性能)

OZP-350-12、mOZP-350-12：

输入：100-240VAC 50-60Hz 4.8A，

输出：12VDC 25A (峰值42A)；

OZP-350-15、mOZP-350-15：

输入：100-240VAC 50-60Hz 4.8A，

输出：15VDC 20A (峰值40A)；

OZP-350-24、mOZP-350-24：

输入：100-240VAC 50-60Hz 5.5A，

输出：24VDC 14.6A (峰值25A)；

OZP-350-30、mOZP-350-30：

输入：100-240VAC 50-60Hz 5.5A，

输出：30VDC 11.7A (峰值20A)；

OZP-350-36、mOZP-350-36：

输入：100-240VAC 50-60Hz 5.5A，

输出：36VDC 9.8A (峰值16.7A)；

OZP-350-48、mOZP-350-48：

输入：100-240VAC 50-60Hz 5.5A，

输出：48VDC 7.3A (峰值12.5A)



中国质量认证中心



CERTIFICATE FOR CHINA COMPULSORY PRODUCT CERTIFICATION

CERTIFICATE NO.: 2013010907598343

Valid from: Aug.10,2023

Valid until: Feb.01,2028

NAME AND REGISTERED ADDRESS OF THE APPLICANT Nipron Co.,Ltd.
2-57, Ohama-tyo, Amagasaki city, Hyogo 660-0095, Japan

NAME AND REGISTERED ADDRESS OF THE MANUFACTURER Nipron Co.,Ltd.
2-57, Ohama-tyo, Amagasaki city, Hyogo 660-0095, Japan

NAME AND LOCATION OF THE FACTORY Nipron Co.,Ltd.
2-57, Ohama-tyo, Amagasaki city, Hyogo 660-0095, Japan

PRODUCT MODEL(S) Switching Power Supply
See appendix , Sale without cord set , Altitude up to 2000m , Non-tropical climate

STANDARDS AND TECHNICAL REQUIREMENTS GB 17625.1-2022 (Class A) ;GB 4943.1-2022;GB/T 9254.1-2021 (Class A)

This is to certify that the above mentioned product(s) complies with the requirements of implementation rules for compulsory certification(REFNO. CNCA-C09-01:2023)

The validity of the certificate is subject to positive result of the regular follow up inspection by issuing certification body until the expiry date.

Date of original issued: Feb.06,2013

Accredited by China National Accreditation Service for Conformity Assessment CNAS C001-P

The certificate information is available through the QR code below or CNCA's website: www.cnca.gov.cn



SIGNATURE:

谢肇煦



CHINA QUALITY CERTIFICATION CENTRE



CERTIFICATE FOR CHINA COMPULSORY PRODUCT CERTIFICATION

CERTIFICATE NO. : 2013010907598343

page 1 of 1

paper:

This certificate and attachments shall be used at the same time, and the verification instructions can be found in the main certificate.

MODEL SPEC :

OZP-350-12、mOZP-350-12、OZP-350-15、mOZP-350-15、OZP-350-24、mOZP-350-24、OZP-350-30、mOZP-350-30、OZP-350-36、mOZP-350-36、OZP-350-48、mOZP-350-48

(maybe followed by suffix "-xyfnnzghij", x: "J" or "T", y: "0" or "S", f: "0" or "E", n: "0" to "9" or "A" to "Z" or blank, z: "-C" or "-K" or "-U" or "-0" or blank, g: "-" or blank, h to j: "0" to "9" or "A" to "Z" or blank, for different sale market, no impact on Product's safety and EMC characteristics.)

OZP-350-12、mOZP-350-12 :

input : 100-240VAC 50-60Hz 4.8A ,

output : 12VDC 25A (peak 42A) ;

OZP-350-15、mOZP-350-15 :

input : 100-240VAC 50-60Hz 4.8A ,

output : 15VDC 20A (peak 40A) ;

OZP-350-24、mOZP-350-24 :

input : 100-240VAC 50-60Hz 5.5A ,

output : 24VDC 14.6A (peak 25A) ;

OZP-350-30、mOZP-350-30 :

input : 100-240VAC 50-60Hz 5.5A ,

output : 30VDC 11.7A (peak 20A) ;

OZP-350-36、mOZP-350-36 :

input : 100-240VAC 50-60Hz 5.5A ,

output : 36VDC 9.8A (peak 16.7A) ;

OZP-350-48、mOZP-350-48 :

input : 100-240VAC 50-60Hz 5.5A ,

output : 48VDC 7.3A (peak 12.5A)



CHINA QUALITY CERTIFICATION CENTRE