

**IEC SYSTEM FOR MUTUAL RECOGNITION OF TEST CERTIFICATES FOR ELECTRICAL EQUIPMENT (IECEE)
CB SCHEME**

CB TEST CERTIFICATE

Product

DC Power Supply

Name and address of the applicant

NIPRON CO LTD
2-57 OHAMA-CHO AMAGASAKI-SHI HYOGO-KEN 660-0095
JAPAN

Name and address of the manufacturer

NIPRON CO LTD
2-57 OHAMA-CHO AMAGASAKI-SHI HYOGO-KEN 660-0095
JAPAN

Name and address of the factory

Note: When more than one factory, please report on page 2

NIPRON CO LTD
2-57 OHAMA-CHO AMAGASAKI-SHI HYOGO-KEN 660-0095
JAPAN

☒ Additional Information on page 2

Ratings and principal characteristics

See Page 2

Trademark / Brand (if any)

None

Type of Customer's Testing Facility (CTF) Stage used

Model / Type Ref.

HPCSA-1500Px
(where x maybe maximum 20 characters, any alphanumeric
character, slash, hyphen or blank, which denotes control number)

Additional information (if necessary may also be
reported on page 2)

Additionally evaluated to EN 62368-1:2014/ A11:2017.
National Differences specified in the CB Test Report.

☐ Additional Information on page 2

A sample of the product was tested and found
to be in conformity with

IEC 62368-1:2014

As shown in the Test Report Ref. No. which forms part
of this Certificate

E161936-A6028-CB-1 issued on 2019-11-14

This CB Test Certificate is issued by the National Certification Body



UL (US), 333 Pfingsten Rd IL 60062, Northbrook, USA
UL (Demko), Borupvang 5A DK-2750 Ballerup, DENMARK
UL (JP), Marunouchi Trust Tower Main Building 6F, 1-8-3 Marunouchi, Chiyoda-ku, Tokyo 100-0005, JAPAN
UL (CA), 7 Underwriters Road, Toronto, M1R 3B4 Ontario, CANADA

For full legal entity names see www.ul.com/ncbnames

Date: 2019-11-18

Signature:

M. Takagi
Masamichi Takagi

Factories:

NIPRON CO LTD

3249 OIZU INDUSTRIAL PARK IN OYODO KOGYO DANCHI OAZA-YAMAOIZU AZA-NAKAJIMA MEIWA-CHO

TAKI-GUN MIE-KEN 515-0303

JAPAN

Ratings:

100 V-240 V, 13.3 A-5.5 A, 50/60 Hz

DC OUTPUT:

CH1: 3.3 Vdc, 25 A (30 Apeak)

CH2: 5 Vdc, 25 A (30 Apeak)

CH3 to CH9: 12 Vdc, 24 A (32 Apeak)

CH10: -12 Vdc, 1 A (1.2 Apeak)

CH11: 5VSB, 3 A (4 Apeak)

Total Wattage: 1200 W maximum (CH1+CH2: 207.5 W maximum, CH3+CH4+CH5+CH6+CH7+CH8+CH9+CH10:

1200 W maximum, CH11: 15 W maximum)

Additional information (if necessary)



UL (US), 333 Pfingsten Rd IL 60062, Northbrook, USA

UL (Demko), Borupvang 5A DK-2750 Ballerup, DENMARK

UL (JP), Marunouchi Trust Tower Main Building 6F, 1-8-3 Marunouchi, Chiyoda-ku, Tokyo 100-0005, JAPAN

UL (CA), 7 Underwriters Road, Toronto, M1R 3B4 Ontario, CANADA

For full legal entity names see www.ul.com/nbcnames

Date: 2019-11-18



Signature:

Masamichi Takagi